


Transition to the renewed National Cervical Screening Program



Test of Cure (ToC)

TREATMENT FOR HSIL (CIN2/3)

Co-test (HPV & LBC) at
12 months post treatment

✓ Order a Co-test
- Test of Cure

Negative Co-test

HPV (not 16/18)
detected and/or
pLSIL/LSIL

HPV 16/18
detected (regardless
of LBC result)

pHSIL/HSIL
(regardless of
HPV test result)

Repeat Co-test at 12 months

✓ Order a Co-test
- Test of Cure

Negative Co-test

HPV (not 16/18)
detected and/or
pLSIL/LSIL

HPV 16/18
detected (regardless
of LBC result)

pHSIL/HSIL
(regardless of
HPV result)

Repeat Co-test at 12 months

✓ Order a Co-test
- Test of Cure

Negative Co-test

Completed ToC
Routine 5-yearly
screening

Repeat Co-test at 12 months

✓ Order a Co-test
- Test of Cure

Fluctuating results
In the absence of HPV 16/18 &
pHSIL/HSIL, annual co-testing
until negative co-tests on two
consecutive occasions

**Refer for
colposcopic
assessment**

Note: For previously treated AIS,
please continue annual co-testing
indefinitely (see over).



**MELBOURNE
PATHOLOGY**
Quality is in our DNA